



<b>MODEL</b>	<b>CP8609 eBlueTork</b>
Part number	6151 5705 00
Energy supply	36V Battery



**Product Carbon Footprint**  
**256 kg / 564 lbs**  
**CO<sub>2</sub>e/unit\***


Based on the ISO 14067:2018 standard, Product Carbon Footprint [PCF] sums up the total greenhouse gas emissions generated by a product over the different stages of its life cycle.

**Sources of CO<sub>2</sub> emissions**


**Manufacturing 51%**

Materials : 33,6%      Own production : 0,4%  
 Incoming transport : 0,4%      Outbound transport : 2164%


**Usage 49%**



**CO<sub>2</sub> emissions per material category**




**Customer Delivery**



Transport emissions  
**36,9 kg / 81,4 lbs CO<sub>2</sub>e/unit\***

**Production Location**

Main component supply locations:



# MORE THAN 7 TIMES LESS CO<sub>2</sub> EMISSIONS WITH CP86 compared to a pneumatic solution

**CP8609  
eBlueTork**

PCF value  
**256 kg / 564 lbs**  
CO<sub>2</sub>e/unit\*



**V/S**




**CP7600  
BlueTork**

PCF value  
**1882 kg / 4149 lbs**  
CO<sub>2</sub>e/unit\*

## CARBON FOOTPRINT SCALE

**CP8609 eBlueTork**

**CP7600 BlueTork**



**Energy saved  
3535 kWh**



**Equivalent to CO<sub>2</sub> absorbed by  
27 ten-year-old trees**



**CP8609 eBlueTork  
CO<sub>2</sub> savings equivalencies\***



**Equivalent to gasoline powered car CO<sub>2</sub>  
emission for 6693 km / 4159 miles**



**Equivalent to energy used to charge  
107682 smartphones**

*Sources: U.S Environmental Protection Agency / International Energy Agency*

PCF value for 5 years of the tool's lifetime (including battery, charger, and CP8609 case) is based on the following generic usage assumptions:  
Tire changing without pre-tightening: 260 days/year, 8 hours/day, 72 cycles of 0,98 seconds per hour (2% running time)

For a customized result please contact your local CP representative.